



FILTRO ESCUADRA
ANGULAR FILTER
FILTRE ANGULAIRE



ÍNDICE / INDEX

FILTRO ESCUADRA
ANGULAR FILTER
FILTRE ANGULAIRE

• Conexiones / Connections / Connexions:

- > DIN 11850 (Serie2)
- > ASME OD
- > SMS

4
10
14


FILTRO ESCUADRA ANGULAR FILTER FILTRE ANGULAIRE

4

DIN 11850 (Serie 2)

SOLDAR
WELD ENDS
À SOUDER

Conexiones según DIN 11850
Connections according to DIN 11850
Connexions selon DIN 11850



DN	Ød1	Ød2	Ød8	A1	B1	L1
25	26	29	76,2	90	300	399
32	32	35	76,2	95	300	399
40	38	41	101,6	100	370	486
50	50	53	101,6	110	370	486
65	66	70	114,3	120	525	663
80	81	85	114,3	145	525	663
100	100	104	154,0	155	676	823
125	125	129	219,1	175	912	1089
150	150	154	219,1	175	912	1089


Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
25	D0.5	F0310-000650025005		T05	F0310-000652025T05	
	D1.0	F0310-000650025010		2,6	--	
	D2.0	F0310-000652025020	2,6	3,9	F0310-000652025T20	2,8
	D5.0	--		3,9	F0310-000652025T30	
	10x1	F0310-000652025101		T40	F0310-000652025T40	
32	D0.5	F0310-000650032005		T05	F0310-000652032T05	
	D1.0	F0310-000652032010		T10	F0310-000652032T10	
	D2.0	F0310-000652032020	2,6	T20	F0310-000652032T20	2,8
	D5.0	F0310-000650032050		T30	F0310-000652032T30	
	10x1	F0310-000652032101		T40	--	
40	D0.5	F0310-000650040005		T05	F0310-000652040T05	
	D1.0	F0310-000650040010		T10	F0310-000652040T10	
	D2.0	F0310-000652040020	3,9	T20	F0310-000652040T20	4,1
	D5.0	F0310-000652040050		T30	--	
	10x1	F0310-000650040101		T40	F0310-000652040T40	
50	D0.5	F0310-000650050005		T05	F0310-000652050T05	
	D1.0	F0310-000652050010		T10	F0310-000652050T10	
	D2.0	F0310-000652050020	3,9	T20	F0310-000652050T20	4,1
	D5.0	F0310-000650050050		T30	F0310-000652050T30	
	10x1	F0310-000650050101		T40	F0310-000652050T40	

70.14048.32.099

SOLDAR
WELD ENDS
À SOUDER

Conexiones según DIN 11850
Connections according to DIN 11850
Connexions selon DIN 11850

Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
65	D0.5	F0310-000650065005		T05	F0310-000652065T05	
	D1.0	F0310-000650065010		5,9	F0310-000652065T10	
	D2.0	F0310-000652065020	5,9	9,5	F0310-000652065T20	6,9
	D5.0	F0310-000652065050		--	F0310-000652065T30	
	10x1	F0310-000650065101		--	F0310-000652065T40	
80	D0.5	F0310-000650080005		T05	F0310-000652080T05	
	D1.0	F0310-000650080010		T10	F0310-000652080T10	
	D2.0	F0310-000650080020	5,9	T20	F0310-000652080T20	6,9
	D5.0	F0310-000650080050		T30	F0310-000652080T30	
	10x1	F0310-000650080101		T40	F0310-000652080T40	
100	D0.5	F0310-000650100005		T05	F0310-000652100T05	
	D1.0	F0310-000650100010		T10	F0310-000652100T10	
	D2.0	F0310-000650100020	9,5	T20	--	13,3
	D5.0	F0310-000652100050		T30	F0310-000652100T30	
	10x1	F0310-000650100101		T40	F0310-000652100T40	
125	D0.5	F0310-000650125005		T05	F0310-000652125T05	
	D1.0	F0310-000650125010		T10	F0310-000652125T10	
	D2.0	--	--	T20	F0310-000652125T20	--
	D5.0	--	--	T30	F0310-000652125T30	
	10x1	--	--	T40	--	
150	D0.5	--	--	T05	--	
	D1.0	F0310-000652150010		T10	F0310-000652150T10	
	D2.0	--	--	T20	--	--
	D5.0	F0310-000652150050		T30	--	
	10x1	--	--	T40	--	



70.14048.32.099


FILTRO ESCUADRA ANGULAR FILTER FILTRE ANGULAIRE

6

DIN 11850 (Serie 2)

MACHO / MACHO
MALE / MALE
MÂLE / MÂLE

Conexiones según DIN 11851
Connections according to DIN 11851
Connexions selon DIN 11851



DN	Ød1	Rd	Ød8	A2	B2	L2
25	26	52 x 1/6"	76,2	70	280	379
32	32	58 x 1/6"	76,2	73	280	379
40	38	65 x 1/6"	101,6	87	350	466
50	50	78 x 1/6"	101,6	89	351	467
65	66	95 x 1/6"	114,3	100	502	640
80	81	110 x 1/4"	114,3	105	502	640
100	100	130 x 1/4"	154,0	135	641	788
125	125	160 x 1/4"	219,1	210	907	1084
150	150	190 x 1/4"	219,1	215	912	1089

Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
25	D0.5	F0310-110650025005	2,8	T05	F0310-110650025T05	3,0
	D1.0	F0310-110650025010		2,8	--	
	D2.0	F0310-110652025020		4,2	F0310-110652025T20	
	D5.0	--		4,3	F0310-110652025T30	
	10x1	F0310-110650025101		T40	--	
32	D0.5	F0310-110650032005	2,8	T05	--	3,0
	D1.0	F0310-110650032010		T10	F0310-110652032T10	
	D2.0	F0310-110652032020		T20	F0310-110652032T20	
	D5.0	F0310-110652032050		T30	F0310-110652032T30	
	10x1	F0310-110650032101		T40	--	
40	D0.5	F0310-110650040005	4,2	T05	F0310-110652040T05	4,4
	D1.0	F0310-110650040010		T10	F0310-110652040T10	
	D2.0	F0310-110652040020		T20	F0310-110652040T20	
	D5.0	--		T30	F0310-110652040T30	
	10x1	F0310-110650040101		T40	F0310-110652040T40	
50	D0.5	F0310-110650050005	4,3	T05	F0310-110652050T05	4,5
	D1.0	F0310-110650050010		T10	F0310-110652050T10	
	D2.0	F0310-110650050020		T20	F0310-110652050T20	
	D5.0	F0310-110652050050		T30	F0310-110652050T30	
	10x1	F0310-110650050101		T40	F0310-110652050T40	

70.14048.32.101

FILTRO ESCUADRA
ANGULAR FILTER
FILTRE ANGULAIRE




DIN 11850 (Serie 2)

7

MACHO / MACHO
MALE / MALE
MÂLE / MÂLE

Conexiones según DIN 11851
Connections according to DIN 11851
Connexions selon DIN 11851

Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
65	D0.5	F0310-110650065005	6,5	T05	F0310-110652065T05	7,5
	D1.0	F0310-110650065010		6,8	F0310-110652065T10	
	D2.0	F0310-110650065020		10,7	F0310-110652065T20	
	D5.0	F0310-110650065050		T30	F0310-110652065T30	
	10x1	F0310-110650065101		T40	F0310-110652065T40	
80	D0.5	F0310-110650080005	6,8	T05	F0310-110652080T05	7,8
	D1.0	F0310-110650080010		T10	--	
	D2.0	F0310-110652080020		T20	F0310-110652080T20	
	D5.0	--		T30	F0310-110652080T30	
	10x1	F0310-110650080101		T40	F0310-110652080T40	
100	D0.5	F0310-110650100005	10,7	T05	F0310-110652100T05	14,5
	D1.0	F0310-110650100010		T10	F0310-110652100T10	
	D2.0	F0310-110650100020		T20	F0310-110652100T20	
	D5.0	F0310-110650100050		T30	--	
	10x1	F0310-110650100101		T40	F0310-110652100T40	
125	D0.5	--	33,5	T05	--	--
	D1.0	--		T10	--	
	D2.0	F0310-110652125020		T20	--	
	D5.0	F0310-110652125050		T30	--	
	10x1	F0310-110652125101		T40	--	
150	D0.5	--	36,1	T05	--	--
	D1.0	--		T10	--	
	D2.0	--		T20	--	
	D5.0	--		T30	--	
	10x1	F0310-110652150101		T40	--	



70.14048.32.101


FILTRO ESCUADRA ANGULAR FILTER FILTRE ANGULAIRE

8

DIN 11850 (Serie 2)

CLAMP/ CLAMP
CLAMP / CLAMP
CLAMP / CLAMP

Conexiones según DIN 32676
Connections according to DIN 32676
Connexions selon DIN 32676



DN	Ød1	Ø d6	Ø d8	A3	B3	L3
25	26	50,5	76,2	63	280	378
32	32	50,5	76,2	63	280	378
40	38	50,5	101,6	82	350	465
50	50	64	101,6	82	350	465
65	66	91	114,3	88	505	643
80	81	106	114,3	88	505	643
100	100	119	154,0	109	639	786
125	125	155	219,1	175	900	1077
150	150	183	219,1	175	900	1077

DN	Plancha perforada Perforated plate			Perfil triangular Wedge wire		
	Size	EPDM	kg	Size	EPDM	kg
25	D0.5	F0310-770650025005	2,7	T05	--	2,9
	D1.0	--		T10	F0310-770650025T10	
	D2.0	--		T20	F0310-770652025T20	
	D5.0	--		T30	--	
	10x1	--		T40	--	
32	D0.5	F0310-770650032005	2,7	T05	--	2,9
	D1.0	--		T10	--	
	D2.0	F0310-770652032020		T20	--	
	D5.0	--		T30	--	
	10x1	--		T40	--	
40	D0.5	F0310-770650040005	4,0	T05	--	4,2
	D1.0	--		T10	F0310-770652040T10	
	D2.0	--		T20	F0310-770652040T20	
	D5.0	--		T30	--	
	10x1	--		T40	--	
50	D0.5	F0310-770650050005	4,0	T05	F0310-770652050T05	4,2
	D1.0	F0310-770652050010		T10	--	
	D2.0	--		T20	F0310-770652050T20	
	D5.0	--		T30	--	
	10x1	F0310-770652050101		T40	--	

70.14048.32.100

FILTRO ESCUADRA
ANGULAR FILTER
FILTRE ANGULAIRE




DIN 11850 (Serie 2)

9

CLAMP/ CLAMP
CLAMP / CLAMP
CLAMP / CLAMP

Conexiones según DIN 32676
Connections according to DIN 32676
Connexions selon DIN 32676

Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
65	D0.5	F0310-770652065005		T05	--	
	D1.0	--		T10	--	
	D2.0	--	6,2	T20	--	7,2
	D5.0	--		T30	--	
	10x1	F0310-770652065101		T40	--	
80	D0.5	F0310-770650080005		T05	--	
	D1.0	--		T10	--	
	D2.0	--	6,2	T20	--	7,2
	D5.0	--		T30	--	
	10x1	--		T40	F0310-770650080T40	
100	D0.5	F0310-770650100005		T05	--	
	D1.0	F0310-770652100010		T10	--	
	D2.0	F0310-770652100020	9,9	T20	F0310-770652100T20	13,7
	D5.0	--		T30	--	
	10x1	F0310-770650100101		T40	--	
125	D0.5	--		T05	--	
	D1.0	--		T10	--	
	D2.0	--	--	T20	F0310-770652125T20	--
	D5.0	--		T30	--	
	10x1	--		T40	--	
150	D0.5	--		T05	--	
	D1.0	--		T10	--	
	D2.0	--	--	T20	--	--
	D5.0	--		T30	--	
	10x1	--		T40	--	




70:14048:32:100

FILTRO ESCUADRA ANGULAR FILTER FILTRE ANGULAIRE

10

ASME OD



SOLDAR
WELD ENDS
À SOUDER

Conexiones según ASME OD
Connections according to ASME OD
Connexions selon ASME OD

DN	Ø d1	Ø d2	Ø d8	A1	B1	L1
1"	22,1	25,4	76,2	76	300	399
1 1/2"	34,8	38,1	101,6	95	370	486
2"	47,5	50,8	101,6	121	370	486
2 1/2"	60,2	63,5	114,3	140	525	663
3"	72,9	76,2	114,3	159	525	663
4"	97,4	101,6	154,0	203	676	823
6"	146,8	152,4	219,1	175	920	1097


DN	Plancha perforada Perforated plate			Perfil triangular Wedge wire		
	Size	EPDM	kg	Size	EPDM	kg
1"	D0.5	F1310-000650025005	2,6	T05	F1310-000652025T05	2,8
	D1.0	F1310-000650025010		T10	F1310-000652025T10	
	D2.0	F1310-000652025020		T20	F1310-000652025T20	
	D5.0	F1310-000652025050		T30	F1310-000652025T30	
	10x1	--		T40	F1310-000652025T40	
1 1/2"	D0.5	F1310-000650040005	3,9	T05	F1310-000652038T05	4,1
	D1.0	F1310-000650040010		T10	F1310-000652040T10	
	D2.0	F1310-000650040020		T20	F1310-000652040T20	
	D5.0	F1310-000652040050		T30	F1310-000652040T30	
	10x1	F1310-000650040101		T40	--	
2"	D0.5	F1310-000650050005	3,9	T05	F1310-000652050T05	4,1
	D1.0	F1310-000650050010		T10	F1310-000652050T10	
	D2.0	F1310-000650050020		T20	F1310-000652050T20	
	D5.0	F1310-000650050050		T30	F1310-000652050T30	
	10x1	F1310-000650050101		T40	F1310-000652050T40	
2 1/2"	D0.5	F1310-000650063005	5,9	T05	F1310-000652063T05	6,9
	D1.0	F1310-000650063010		T10	F1310-000652063T10	
	D2.0	F1310-000650063020		T20	F1310-000652063T20	
		F1310-000652063050		T30	F1310-000652063T30	
	10x1	F1310-000650063101		T40	F1310-000652063T40	

70.14048.32.099

SOLDAR
WELD ENDS
À SOUDER

Conexiones según ASME OD
Connections according to ASME OD
Connexions selon ASME OD

Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
3"	D0.5	F1310-000650076005		T05	F1310-000652076T05	
	D1.0	F1310-000650076010		T10	F1310-000652076T10	
	D2.0	F1310-000650076020	5,9	T20	--	6,9
	D5.0	F1310-000650076050		T30	F1310-000652076T30	
	10x1	F1310-000650076101		T40	F1310-000652076T40	
4"	D0.5	F1310-000650100005		T05	F1310-000650100T05	
	D1.0	F1310-000650100010		T10	F1310-000652100T10	
	D2.0	F1310-000650100020	9,5	T20	F1310-000650100T20	13,3
	D5.0	F1310-000652100050		T30	F1310-000652100T30	
	10x1	F1310-000650100101		T40	F1310-000650100T40	
5"	D0.5	--		T05	--	
	D1.0	--		T10	--	
	D2.0	--	--	T20	--	--
	D5.0	--		T30	--	
	10x1	--		T40	--	
6"	D0.5	F1310-000652150005		T05	F1310-000652150T05	
	D1.0	F1310-000652150010		T10	--	
	D2.0	F1310-000652150020	32,4	T20	F1310-000652150T20	25,1
	D5.0	--		T30	--	
	10x1	--		T40	F1310-000652150T40	




70:14048:32:099

FILTRO ESCUADRA ANGULAR FILTER FILTRE ANGULAIRE

12

ASME OD



CLAMP/ CLAMP
CLAMP / CLAMP
CLAMP / CLAMP

Conexiones según ASME OD
Connections according to ASME OD
Connexions selon ASME OD

DN	Ø d1	Ø d6	Ø d8	A2	B2	L2
1"	22,1	50,5	76,2	70	271	370
1 1/2"	34,8	50,5	101,6	82	341	457
2"	47,5	64	101,6	82	341	457
2 1/2"	60,2	77,5	114,3	89	490	628
3"	72,9	91	114,3	89	490	628
4"	97,4	119	154,0	110	626	774
6"	146,8	166,8	219,1	175	900	1077

DN	Plancha perforada Perforated plate			Perfil triangular Wedge wire		
	Size	EPDM	kg	Size	EPDM	kg
1"	D0.5	F1310-770650025005	2,8	T05	F1310-770652025T05	3,0
	D1.0	F1310-770650025010		T10	F1310-770652025T10	
	D2.0	F1310-770652025020		T20	F1310-770652025T20	
	D5.0	F1310-770650025050		T30	--	
	10x1	F1310-770652025101		T40	F1310-770652025T40	
1 1/2"	D0.5	F1310-770650040005	4,0	T05	F1310-770652040T05	4,2
	D1.0	F1310-770650040010		T10	F1310-770652038T10	
	D2.0	F1310-770652040020		T20	F1310-770652040T20	
	D5.0	F1310-770652050050		T30	F1310-770652038T30	
	10x1	F1310-770650040101		T40	--	
2"	D0.5	F1310-770650050005	4,0	T05	F1310-770652050T05	4,2
	D1.0	F1310-770650050010		T10	F1310-770652050T10	
	D2.0	F1310-770650050020		T20	F1310-770652050T20	
	D5.0	--		T30	F1310-770652050T30	
	10x1	F1310-770652050101		T40	F1310-770652050T40	
2 1/2"	D0.5	F1310-770650063005	6,0	T05	F1310-770652063T05	7,0
	D1.0	F1310-770652063010		T10	F1310-770652063T10	
	D2.0	F1310-770652063020		T20	F1310-770652063T20	
	--	--		T30	--	
	10x1	F1310-770650063101		T40	--	

70.14048.32.116

FILTRO ESCUADRA
ANGULAR FILTER
FILTRE ANGULAIRE




ASME OD

13

CLAMP/ CLAMP
CLAMP / CLAMP
CLAMP / CLAMP

Conexiones según ASME OD
Connections according to ASME OD
Connexions selon ASME OD

Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
3"	D0.5	F1310-770650076005		T05	F1310-770652076T05	
	D1.0	F1310-770650076010		T10	F1310-770652076T10	
	D2.0	F1310-770652076020	6,0	T20	F1310-770652076T20	7,0
	D5.0	--		T30	F1310-770652076T30	
	10x1	F1310-770650076101		T40	--	
4"	D0.5	F1310-770650100005		T05	--	
	D1.0	F1310-770652100010		T10	F1310-770652100T10	
	D2.0	F1310-770652100020	9,6	T20	F1310-770652100T20	13,4
	D5.0	F1310-770652100050		T30	F1310-770652100T30	
	10x1	F1310-770650100101		T40	--	
5"	D0.5	--		T05	--	
	D1.0	--		T10	--	
	D2.0	--	--	T20	--	--
	D5.0	--		T30	--	
	10x1	--		T40	--	
6"	D0.5	--		T05	--	
	D1.0	--		T10	--	
	D2.0	--	33,0	T20	--	--
	D5.0	--		T30	--	
	10x1	F1310-770652150101		T40	--	




70:14048:32:116

FILTRO ESCUADRA ANGULAR FILTER FILTRE ANGULAIRE

14

SMS



SOLDAR
WELD ENDS
À SOUDER

Conexiones según SMS
Connections according to SMS
Connexions selon SMS

DN	Ø d1	Ø d2	Ø d8	A1	B1	L1
25	22,5	25,4	76,2	76	300	399
38	35,5	38,1	101,6	95	370	486
51	48,5	50,8	101,6	121	370	486
63,5	60,5	63,5	114,3	140	525	663
76	72,9	76,2	114,3	159	525	663
101,6	97,6	101,6	154,0	203	676	823
104	100	104	154,0	155	676	823


DN	Plancha perforada Perforated plate			Perfil triangular Wedge wire		
	Size	EPDM	kg	Size	EPDM	kg
25	D0.5	F1310-000650025005	2,6	T05	F1310-000652025T05	2,8
	D1.0	F1310-000650025010		T10	F1310-000652025T10	
	D2.0	F1310-000652025020		T20	F1310-000652025T20	
	D5.0	F1310-000652025050		T30	F1310-000652025T30	
	10x1	--		T40	F1310-000652025T40	
38	D0.5	F1310-000650040005	3,9	T05	F1310-000652038T05	4,1
	D1.0	F1310-000650040010		T10	F1310-000652040T10	
	D2.0	F1310-000650040020		T20	F1310-000652040T20	
	D5.0	F1310-000652040050		T30	F1310-000652040T30	
	10x1	F1310-000650040101		T40	--	
51	D0.5	F1310-000650050005	3,9	T05	F1310-000652050T05	4,1
	D1.0	F1310-000650050010		T10	F1310-000652050T10	
	D2.0	F1310-000650050020		T20	F1310-000652050T20	
	D5.0	F1310-000650050050		T30	F1310-000652050T30	
	10x1	F1310-000650050101		T40	F1310-000652050T40	
63,5	D0.5	F1310-000650063005	5,9	T05	F1310-000652063T05	6,9
	D1.0	F1310-000650063010		T10	F1310-000652063T10	
	D2.0	F1310-000650063020		T20	F1310-000652063T20	
		F1310-000652063050		T30	F1310-000652063T30	
	10x1	F1310-000650063101		T40	F1310-000652063T40	

70..14048.32.099

SOLDAR
WELD ENDS
À SOUDER

Conexiones según SMS
Connections according to SMS
Connexions selon SMS

Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
76	D0.5	F1310-000650076005	5,9	T05	F1310-000652076T05	6,9
	D1.0	F1310-000650076010		T10	F1310-000652076T10	
	D2.0	F1310-000650076020		T20	--	
	D5.0	F1310-000650076050		T30	F1310-000652076T30	
	10x1	F1310-000650076101		T40	F1310-000652076T40	
101,6	D0.5	F1310-000650100005	9,5	T05	F1310-000650100T05	13,3
	D1.0	F1310-000650100010		T10	F1310-000652100T10	
	D2.0	F1310-000650100020		T20	F1310-000650100T20	
	D5.0	F1310-000652100050		T30	F1310-000652100T30	
	10x1	F1310-000650100101		T40	F1310-000650100T40	
104	D0.5	F0310-000650100005	9,5	T05	F0310-000652100T05	13,3
	D1.0	F0310-000650100010		T10	F0310-000652100T10	
	D2.0	F0310-000650100020		T20	--	
	D5.0	F0310-000652100050		T30	F0310-000652100T30	
	10x1	F0310-000650100101		T40	F0310-000652100T40	



7014048.32.099


FILTRO ESCUADRA ANGULAR FILTER FILTRE ANGULAIRE

16

SMS

MACHO / MACHO
MALE / MALE
MÂLE / MÂLE

Conexiones según SMS
Connections according to SMS
Connexions selon SMS



DN	Ø d1	Rd	Ø d8	A2	B2	L2
25	22,5	40 x 1/6"	76,2	60	277	376
38	35,5	60 x 1/6"	101,6	90	351	467
51	48,5	70 x 1/6"	101,6	90	351	467
63,5	60,5	85 x 1/6"	114,3	105	504	642
76	72,9	98 x 1/6"	114,3	105	504	642
101,6	97,6	132 x 1/6"	154,0	140	646	793
104	100	125 x 1/4"	219,1	135	641	788


Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
25	D0.5	F2310-110650025005	2,7	T05	--	2,9
	D1.0	--		T10	--	
	D2.0	--		T20	F2310-110652025T20	
	D5.0	--		T30	--	
	10x1	--		T40	--	
38	D0.5	F2310-110650040005	4,3	T05	--	4,5
	D1.0	F2310-110652038010		T10	--	
	D2.0	F2310-110652038020		T20	--	
	D5.0	--		T30	--	
	10x1	--		T40	--	
51	D0.5	F2310-110650050005	4,2	T05	--	4,4
	D1.0	F2310-110650050010		T10	F2310-110652051T10	
	D2.0	F2310-110652050020		T20	F2310-110652050T20	
	D5.0	F2310-110650051050		T30	F2310-110652050T30	
	10x1	F2310-110652050101		T40	--	
63,5	D0.5	F2310-110650063005	6,5	T05	--	7,5
	D1.0	F2310-110652063010		T10	F2310-110652063T10	
	D2.0	F2310-110652063020		T20	--	
	D5.0	F2310-110650063050		T30	F2310-110652063T30	
	10x1	F2310-110652063101		T40	--	

70.14048.32.102

MACHO / MACHO
 MALE / MALE
 MÂLE / MÂLE

Conexiones según SMS
 Connections according to SMS
 Connexions selon SMS

Plancha perforada Perforated plate				Perfil triangular Wedge wire		
DN	Size	EPDM	kg	Size	EPDM	kg
76	D0.5	F2310-110650076005	6,6	T05	F2310-110652076T05	7,6
	D1.0	F2310-110650076010		T10	--	
	D2.0	F2310-110652076020		T20	F2310-110652076T20	
	D5.0	F2310-110652076050		T30	F2310-110652076T30	
	10x1	--		T40	--	
101,6	D0.5	--	9,2	T05	--	13,0
	D1.0	--		T10	--	
	D2.0	--		T20	--	
	D5.0	--		T30	--	
	10x1	--		T40	--	
104	D0.5	F2310-110650104005	10,6	T05	--	14,4
	D1.0	--		T10	--	
	D2.0	F2310-110652104020		T20	F2310-110652100T20	
	D5.0	--		T30	--	
	10x1	--		T40	--	



70.14048.32.102